

MITSUBISHI COMMERCIAL DUCTLESS



Ceiling Suspended, Wall Mount, and Ceiling Recessed Commercial Series:




Mitsubishi Electric offers a variety of commercial models to fit various wall mount, ceiling suspended and ceiling recessed applications.




Among the many advanced features these models offer are the following characteristics: convenient zone control, super-quiet operation, humidity control, zero degree ambient operation, automatic cooling/heating changeover, auto swing vane, or louver controls, Redi-Charged system, and Hot-Start system. Each system also includes a wired intelligent remote controller.


-

 WALL MOUNTED	MODEL NUMBER	COOLING CAPACITY (btuh)	HEATING CAPACITY (btuh)	SEER
	PK12FK	12,500	-	11.5
	PK18FK	18,500	-	11.3
	PK24FK	24,000	-	10.6
	PK30FK	30,000	-	10.7
	PK36FK	34,200	-	10.2
	PKH18FK	18,000	18,600	11.1
	PKH24FK	24,000	25,000	10.2
	PKH30FK	30,000	33,000	10.6
	PKH36FK	34,200	38,000	10.5

-

 CEILING MOUNTED	MODEL NUMBER	COOLING CAPACITY (btuh)	HEATING CAPACITY (btuh)	SEER
	PC24EK	24,000	-	10.3
	PC30EK	31,000	-	10.4
	PC36EK	36,500	-	10.2
	PC42EK	42,500	-	10.0
	PCH24EK	24,000	27,000	10.3
	PCH30EK	30,000	33,000	10.0
	PCH36EK	35,400	38,000	10.4
	PCH42EK	42,000	43,000	10.0

-

 CEILING RECESSED	MODEL NUMBER	COOLING CAPACITY (btuh)	HEATING CAPACITY (btuh)	SEER
	PL12FK	12,300	-	10.4
	PL18FK	18,400	-	10.2
	PL24FK	23,600	-	10.0
	PL30FK	31,000	-	10.4
	PL34FK	32,400	-	10.0
	PL42FK	42,500	-	10.0
	PLH18FK	17,300	18,000	10.3
	PLH24FK	23,100	25,000	10.3
	PLH30FK	30,000	33,000	10.0
	PLH36FK	35,400	38,000	10.4
	PLH42FK	42,000	44,300	10.0